



Rainwater Goods Specification

Room Name	Effective area	Min gutter width	No. of outlets	Min downpipe dia
Roof slope 1	169 sq m	140mm	3	100mm
Roof slope 2	99 sq m	140mm	1	100mm
Roof slope 3	20 sq m	140mm	1	100mm
Roof slope 4	84 sq m	140mm	1	100mm
Roof slope 5	55 sq m	140mm	1	100mm
Roof slope 6	47 sq m	140mm	1	100mm
Roof slope 7	81 sq m	N/A	1	100mm
Roof slope 8	42 sq m	140mm	1	100mm

1 ROOF PLAN
Scale: 1:50

REV	DESCRIPTION	DATE	APPROVED
A	Amendments made to gutter designs as advised by VM Zinc.	09/03/2020	CW

REVISION HISTORY	
	JOB All Hallows Church
	JOB NO. 13002
	DRAWING Proposed Rainwater Good Specification
	DRG NO. 407A
	SCALE 1:50 @ A1
	DRAWN AN
	APPROVED CW
	DATE 4/02/20

RIBA WORK STAGE 4

CLIENT: All Hallows Church

SCALE BAR: 1:50 (0, 100mm, 250mm) / 1:50 (0, 1m, 2.5m)

The copyright in this drawing is vested in Native Chartered Architects and no licence or assignment of any kind has been granted to any third party whether by provision of copies or originals of the drawing or otherwise. This drawing is not to be used without the written consent of Native Chartered Architects.

© NATIVE CHARTERED ARCHITECTS